

# **Reporting Data export: Data from recordings**

The Reporting Data tab shows several export options. This article covers the CSV exports related to participant recordings.

The last section of this article serves as a data dictionary to explain the content of the export.

## 1. Select the highest organization or group of interest in the context menu.


If you select an organization (bold header in the hierarchy), the export will pull records for all children in that organization *and* in any nested suborganizations within it.

P

To access data for an inactive/completed group or child, select the **organization** the group or child was in. You will be able to filter to see just the desired group or participant in later steps.




- 2. From the main menu, expand the Data section, select Data Exports.
- 3. Choose the Reporting Data tab.



Your options may be different from those shown in this image based on your LENA Program type.



## 4. Filter by date range and/or participant (optional).



- $\label{eq:context} \ensuremath{ \begin{tabular}{ll} \ensuremath{$
- \*If you are exporting at the 5-minute resolution, the export will pull only the 50 most recent files within your context/date/participant parameters.
- 5. Click the button for the resolution you want.



#### **Recordings option**

· One row of data for each recording

#### **Hourly option**



· All data are reported in terms of clock-aligned hours, with one row of data for each full or partial hour within a recording

#### 5 Minute option

- All data are reported in terms of clock-aligned 5-minute blocks, with one row of data for each full or partial 5-minute block within a recording
- This export is capped at 50 recordings due to the large amount of data

## List of exported fields and descriptions

The **language environment analysis data** fields included in the export vary with program type. When your program type does not include a particular piece of data the export will include the columns, but they will be blank.

## **Recordings export columns**

The program columns on the right indicate which **language environment analysis data** fields are included for exports from that program. The rest of the columns are included for all program types.

Field	Description	Grow	Home	SP	Start
ChildKey	LENA Online Custom ID used to link participant data				
RecordingDate	Date the recording began				
StartTime	Time recording began, in local time zone of participant's organization				
EndTime	Time recording ended, in local time zone of participant's organization				
Duration_Secs	Recording duration, in seconds				
AWC_COUNT	<ul> <li>Adult Word Count: Number of adult words spoken to and near child</li> <li>Home, SP, Start</li> <li>Value represents the 12-hr projected count for recordings at least 9.5 hours in duration</li> <li>Value represents the actual count for recordings that are shorter than 9.5 hours</li> <li>Home, Start</li> <li>First valid, non-hidden recording value represents the Hawthorne-corrected 12-hr projected count</li> <li>Grow</li> </ul>	X	X	x	х



	Value represents the actual count				
AWC_PCTL	Adult Word Count Percentile corresponding to the 12-hr projected count - blank for recordings <9.5 hrs		х	х	x
AWC_SS	Adult Word Count Standard Score corresponding to the 12-hr projected count - blank for recordings <9.5 hrs		X	Х	х
CT_COUNT	Conversational Turns Count: Number of turns child engaged in with an adult  Home, SP, Start  Value represents the 12-hr projected count for recordings at least 9.5 hours in duration  Value represents the actual count for recordings that are shorter than 9.5 hours  Home, Start  First valid, non-hidden recording value represents the Hawthorne-corrected 12-hr projected count  Grow  Value represents the actual count	x	x	x	×
CT_PCTL	Conversation Turns Percentile corresponding to the 12-hr projected count - blank for recordings <9.5 hrs		x	х	х
CT_SS	Conversational Turns Standard Score corresponding to the 12-hr projected count - blank for recordings <9.5 hrs		X	Х	Х
CV_COUNT	Child Vocalizations Count: Number of speech-related sounds produced by the child Home, SP, Start  Value represents the 12-hr projected count for recordings at least 9.5 hours in duration  Value represents the actual count for recordings that are shorter than 9.5 hours  Grow  Value represents the actual count	X	X	x	X
CV_PCTL	Child Vocalizations Percentile corresponding to 12-hr projected count - blank for recordings <9.5 hrs		х	Х	Х



CV_SS	Child Vocalizations Standard Score corresponding to 12-hr projected count - blank for recordings <9.5 hrs		Х	х	х
TV_Secs	Duration, in seconds, coming from television or other electronic sources	X	х	х	х
AVA_PCTL	Automatic Vocalization Assessment Percentile		Х	Х	Х
AVA_SS	Automatic Vocalization Assessment Standard Score		Х	Х	Х
VP_PCTL	Vocal Productivity Percentile			Х	
VP_SS	Vocal Productivity Standard Score			Х	
Meaningful	Duration, in seconds, coming from all near and clear human sources. NOT A COUNT.	х		X	
Non_Meaningful	Duration, in seconds, coming from all non-human sources, overlapping sounds, and human sources that are not "near and clear." NOT A COUNT.	Х			
Distant	Duration, in seconds, coming from all far-field human sources.  NOT A COUNT.			Х	
TV_Elec	Duration, in seconds, coming from television or other electronic sources. NOT A COUNT.			Х	
Overlap	Duration, in seconds, coded as speech overlapping with something else. NOT A COUNT.			х	
Noise	Duration, in seconds, coming from all near noises (bumps, claps, etc.). NOT A COUNT.			х	
Silence	Duration, in seconds, in which there is little to no ambient sound. NOT A COUNT.	х		X	
ProgramType	LENA Grow, LENA Home, LENA SP, or LENA Start (2, 2.1, 3.0)				
OrgID	LENA Online database ID number for participant's organization				
GroupID	LENA Online database ID number for participant's current functional group				
RecGroupID	LENA Online database ID number for the group the child was in when the recording was processed				



ParticipantID	LENA Online database ID number for participant		
ExternalReferenceID	Participant External Reference ID		
Recording_DOB	Participant date of birth in participant record at time of recording transfer		
Recording_Gender	Gender model in in algorithm set used in processing the data.  Corresponds to the gender information on the participant record at time of recording transfer.  Note: Recordings for participants with Gender = "Prefer to specify" at the time of transfer are processed with the female model, for the simple reason that the computer code for processing requires a binary selection. It has no impact on the processing results or reports, nor is it any sort of statement on gender. Gender information was built into the processing algorithms early on to allow for the possibility that it might impact child speaker and child vocalization identification. Later evaluation indicated that gender model used had no impact on the processing results, but the binary model selection was already baked into the processing code. (Note that LENA does not use separate gender-based percentile rankings either.) In order to allow LENA users more flexibility while still being able to process their data, we essentially flipped a coin to default to the female model when the child's gender is otherwise specified.		
Recording ID	LENA Online database ID number for recording		
HiddenRec	T or F: True hides display of a recording from the participant report as well as group reports and roll-up data		
ExcludeFromAnalysis	T or F: Used as indicator to include in or exclude participant data from analyses. Does not exclude from reports or roll-up data.		
FilteredRec	T or F: True if a recording meets program-level criteria for invalid recording		
ErrorCodes	Lists codes for any errors associated with file E1. Not enough child speech E2. Recording duration <10 hours E3. Not enough child and adult speech E4. Too noisy. Too much overlapping noise impacting the recording		



	E5. Does not exist as an error code  E6. Grow: Recording too short  E7. Grow: Can't calculate start/end times		
RecorderSerialNumber	Serial number of recorder used to capture recording		
ITS_File_Name	Name of Interpretive Time Segment (.its) file. Reflects transfer date, transfer time, and recorder serial number: YYYYMMDD_HHMMSS_000000.its  Note: Device contents that LENA Hub has split into separate recordings due to a long pause are appended with _# indicating		
	the order of the recordings, e.g., YYMMDD_HHMMSS_000000_1.its, YYMMDD_HHMMSS_000000_2.its, etc.		
DatabaseInsertDateTime	Local date and time recording data was committed to LENA Online database; aligned to time zone of participant's organization		
RecorderTransferDateTime	Local date and time data was transferred from recorder for processing; aligned to time zone of participant's organization		
Timezone	Time zone for organization of which participant is a member		
Offset_Secs	Time zone offset, in seconds, comparing organization time zone to GMT		
Pause_Count	Number of times the recorder was turned on within this recording, after recording was initiated. For example, a value of 1 indicates Record-Pause-Record. If zero, the recording is solid, without pauses.		

## Hourly and 5 Min export columns

The program columns on the right indicate which **language environment analysis data** fields are included for exports from that program. The rest of the columns are included for all program types.

Field	Description	Grow	Home	SP	Start
ChildKey	LENA Online Custom ID used to link participant data				
RecordingDate	Date participant began recording				



StartTime	Start time for this row, in local time zone of participant's organization				
EndTime	End time for this row, in local time zone of participant's organization				
Duration_Secs	Recording duration, in seconds				
AWC_COUNT	Adult Word Count: Number of adult words spoken to and near child  Value represents the actual count in this interval	x	х	х	x
CT_COUNT	Conversational Turns Count: Number of turns child engaged in with an adult  Value represents the actual count in this interval	х	х	Х	х
CV_COUNT	Child Vocalization Count: Number of speech related sounds produced by the child  • Value represents the actual count in this interval	х	х	Х	X
TV_Secs	Duration, in seconds, coming from television or other electronic sources	Х	x	х	x
IT_Secs	Legacy data point - no longer used. Ignore.	Х			
Meaningful	Duration, in seconds, coming from all near and clear human sources. NOT A COUNT.	Х		х	
Non_Meaningful	Duration, in seconds, coming from all non-human sources, overlapping sounds, and human sources that are not "near and clear." NOT A COUNT.	х			
Distant	Duration, in seconds, coming from all far-field human sources. NOT A COUNT.			х	
TV_Elec	Duration, in seconds, coming from television or other electronic sources. NOT A COUNT.			х	
Overlap	Duration, in seconds, coded as speech overlapping with something else. NOT A COUNT.			Х	
Noise	Duration, in seconds, coming from all near noises (bumps, claps, etc.). NOT A COUNT.			х	



Silence	Duration, in seconds, in which there is little to no ambient sound. NOT A COUNT.	Х	х	
ProgramType	LENA Grow, LENA Home, LENA SP, or LENA Start (2, 2.1, 3.0)			
OrgID	LENA Online database ID number for participant's organization			
GroupID	LENA Online database ID number for participant's current functional group			
RecGroupID	LENA Online database ID number for the group the child was in when the recording was processed			
ParticipantID	LENA Online database ID number for participant			
ExternalReferenceID	Participant External Reference ID			
Recording_DOB	Participant date of birth in participant record at time of recording transfer			
Recording_Gender	Gender model in in algorithm set used in processing the data.  Corresponds to the gender information on the participant record at time of recording transfer.  Note: Recordings for participants with Gender = "Prefer to specify" at the time of transfer are processed with the female model, for the simple reason that the computer code for processing requires a binary selection. It has no impact on the processing results or reports, nor is it any sort of statement on gender. Gender information was built into the processing algorithms early on to allow for the possibility that it might impact child speaker and child vocalization identification. Later evaluation indicated that gender model used had no impact on the processing results, but the binary model selection was already baked into the processing code. (Note that LENA does not use separate gender-based percentile rankings either.) In order to allow LENA users more flexibility while still being able to process their data, we essentially flipped a coin to default to the female model when the child's gender is otherwise specified.			
Recording ID	LENA Online database ID number for recording			
HiddenRec	T or F: True hides display of a recording from the participant report as well as group reports and roll-up data			



ExcludeFromAnalysis	T or F: Used as indicator to include in or exclude participant data from analyses. Does not exclude from reports or roll-up data.		
FilteredRec	T or F: True if a recording meets program-level criteria for invalid recording		
ErrorCodes	Lists codes for any errors associated with file E1. Not enough child speech E2. Recording duration <10 hours E3. Not enough child and adult speech E4. Too noisy. Too much overlapping noise impacting the recording E5. Does not exist as an error code E6. Grow: Recording too short E7. Grow: Can't calculate start/end times		
RecorderSerialNumber	Serial number of recorder used to capture recording		
ITS_File_Name	Name of Interpretive Time Segment (.its) file. Reflects transfer date, transfer time, and recorder serial number: YYYYMMDD_HHMMSS_000000.its  Note: Device contents that LENA Hub has split into separate recordings due to a long pause are appended with _# indicating the order of the recordings, e.g., YYMMDD_HHMMSS_000000_1.its, YYMMDD_HHMMSS_000000_2, etc.		
DatabaseInsertDateTime	Local date and time recording record was committed to LENA Online database; aligned to time zone of participant's organization		
RecorderTransferDateTime	Local date and time data was transferred from recorder for processing; aligned to time zone of participant's organization		
Timezone	Time zone for organization of which participant is a member		